


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	-3 FINGERS NOW 2 PC. UNITS, -2 CORRECTED HATCHING, -3B MADE SECTION VIEW, -7 ADDED 2X R.047, ADJUST PAPER SIZE & WORDING.	6/8/2005		
2	-3A REDRAW AS SECTION VIEW.	7/13/2005		
2A	CH'D TITLEBLOCK & REVISION BLOCK, LABELED SECTION VIEWS A-A P/N -2, B-B P/N -3A, C-C P/N -3B, D-D P/N -6, CH'D DWG. FROM 6889889.	7/15/2009	RJC	
3	-3A & -3B CH'D MATERIAL FROM TUBING TO RND. BAR, AND -3B FROM 4140 TO S-7	7/15/2009	WP	GE
4	REDRAWN IN SOLIDWORKS. -1, -3C, -5, -9 ADDED B/O INFO TO BOM. -2 CH'D Ø.250 THRU TO Ø.250 MIN. THRU. -3 CH'D DIM WAS 4.500-4.498 IS (4.500 SEE NOTE 1). -3A CH'D DIMS TO REFERENCE WAS Ø2.500 IS STOCK (Ø2.50). WAS 4.690 IS (4.690). WAS 10" IS (10"). CH'D HOLE WAS S.F. Ø.189 FOR -5 IS P.F. Ø.1874-Ø.1869. -4 OD WAS Ø.750 IS (Ø.75). ADDED TOLERANCE WAS Ø.187 IS Ø.187-Ø.192. -6 ADDED .06 X 45° CHAMFER TO Ø.53 HOLE. CH'D DEPTH WAS Ø.53Ψ 1.0 IS Ø.53Ψ 1.13. CH'D SLOT WIDTHS WAS .650 IS .640. REMOVED Ψ 1.06 FROM THREAD CALLOUT. -7 CH'D KNURL WAS HEAVY IS MEDIUM. -8A ADDED DRILL POINTS TO 2X Ø.375Ψ .30 HOLES. ADDED 3X .32 DIM. ADDED TOLERANCE WAS Ø.187 IS Ø.187-Ø.192. -8B CH'D Ø.375 TO (Ø.375)	11/26/2013	CFS	GE




ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
		B/O	-1	1	SHOULDER SCREW	STEEL	Ø1/4 X 3/8 MCMaster-CARR #91259A534	1
			-2	1	PILOT	BRASS	Ø1-5/8 X 1-5/8	2
	X		-3	4	FINGER ASSY.			3
	1		-3A		FINGER	4140	Ø2-1/2 X 4-3/4	4
	1		-3B		FINGER TIP	S-7	Ø2-1/2 X 2-1/4	5
	2	B/O	-3C		FLAT HEAD SCREW	STEEL	#8-32 X 3/8 MCMaster-CARR #90273A192	3
			-4	1	JACK SCREW	4140 Q&T	Ø3/4 X 8	6
		B/O	-5	4	DOWEL PIN	STEEL	Ø3/16 X 1-1/8 MCMaster-CARR #98381A511	1
			-6	1	ADJUSTING SCREW	4140 OR 4140	Ø2-1/2 X 2-1/8	7
			-7	1	ADJUSTING NUT	BRASS	Ø2-1/4 X 1-5/8	8
	X		-8	1	TEE HANDLE WELDMENT -8			9
	1		-8A		HUB	1018	Ø1-5/8 X 5/8	10
	2		-8B		HANDLE	1018	Ø3/8 X 2-5/8	11
		B/O	-9	1	ROLL PIN	STEEL	Ø3/16 X 1-1/2 MCMaster-CARR #98296A914	1
ASSY -8	ASSY -3							



		RED BARN MACHINE	
		PULLER - BEARING, TURBINE	
TITLE		REV	
DWG NO.		4	
RB6889889			
MAT'L		DRAWN BY: COLE	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		APPROVED <i>D Weil</i>	
.XXX ± .005 FRACTIONS ± 1/32		HEAT TREAT	
.XX ± .01 ANGLES ± 5°		FINISH	
.X ± .1		SPEC	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R		USED ON MODEL	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING		R.R. ALLISON 250	
SCALE	1:4	DATE	3/24/2003
		SHEET 1 OF 11	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.


REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	-2 CORRECTED HATCHING.	6/8/2005		
4	-2 CH'D Ø.250 THRU TO Ø.250 MIN. THRU.	11/26/2013	CFS	GE



SECTION A-A




(-2)
PILOT



RED BARN MACHINE	
PULLER - BEARING, TURBINE	
DWG NO.	RB6889889-2
MAT'L BRASS	DRAWN BY: COLE
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT TREAT
.XX ± .01	FINISH
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	R.R. ALLISON 250
SCALE 1:1	DATE 3/24/2003
	SHEET 2 OF 11

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	-3 FINGERS NOW 2 PC. UNITS.	6/8/2005		
4	-3 CH'D DIM WAS 4.500-4.498 IS [4.500 SEE NOTE 1].	11/26/2013	CFS	GE




(-3)
FINGER ASSY.

NOTE:


⚠ THE FOUR FINGERS MUST BE A SET
MATCHED WITH-IN .002 OF EACH OTHER.

RED BARN MACHINE	
TITLE PULLER - BEARING, TURBINE	
DWG NO. RB6889889-3	REV 4
MAT'L	DRAWN BY: COLE
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	APPROVED <i>D Weil</i>
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	HEAT TREAT
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	FINISH
	SPEC
	USED ON MODEL
	R.R. ALLISON 250
SCALE 1:1	DATE 3/24/2003
SHEET 3 OF 11	

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
2	-3A REDRAW AS SECTION VIEW.	7/13/2005		
3	-3A CH'D MATERIAL FROM TUBING TO RND. BAR.	7/15/2009	RJC	
4	-3A CH'D DIMS TO REFERENCE WAS Ø2.500 IS STOCK (Ø2.50). WAS 4.690 IS (4.690), WAS 10" IS (10"). CH'D HOLE WAS S.F. Ø.189 FOR -5 IS P.F. Ø.1874-Ø.1869.	11/26/2013	CFS	GE






FINGER

		RED BARN MACHINE	
TITLE			
PULLER - BEARING, TURBINE			
DWG NO.			REV
RB6889889-3A			4
MAT'L 4140		DRAWN BY: PERRITT	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		APPROVED <i>D Weil</i>	
.XXX ± .005		HEAT TREAT RC 36-40	
.XX ± .01		FINISH BLACK OXIDE	
.X ± .1		SPEC	
1. BREAK ALL SHARP EDGES .015 x .45" OR .015R		USED ON MODEL	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING		R.R. ALLISON 250	
SCALE 1:1	DATE 6/6/2005	SHEET 4 OF 11	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	-3B MADE SECTION VIEW.	6/8/2005		
3	-3B CH'D MATERIAL FROM TUBING TO RND. BAR, AND FROM 4140 TO S-7.	7/15/2009	RJC	






(-3B)

FINGER TIP

RED BARN MACHINE	
PULLER - BEARING, TURBINE	
DWG NO.	RB6889889-3B
MAT'L S-7	DRAWN BY: PERRITT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT TREAT RC 36-40
.XX ± .01	FINISH BLACK OXIDE
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	R.R. ALLISON 250
SCALE 3:2	DATE 6/6/2005
SHEET 5 OF 11	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
4	-4 OD WAS Ø.750 IS (Ø.75). ADDED TOLERANCE WAS Ø.187 IS Ø.187-Ø.192.	11/26/2013	CFS	GE






(-4)
JACK SCREW

RED BARN MACHINE	
TITLE PULLER - BEARING, TURBINE	
DWG NO. RB6889889-4	REV 4
MAT'L 4140 Q&T	DRAWN BY: COLE
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/32	HEAT TREAT RC 26-32
.XX ± .01 ANGLES ± 5°	FINISH BLACK OXIDE
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	R.R. ALLISON 250
SCALE 1:1	DATE 3/24/2003
SHEET 6 OF 11	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
2	-7 ADDED 2X R.047.	6/8/2005		
4	-6 ADDED .06 X 45° CHAMFER TO Ø.53 HOLE. CH'D DEPTH WAS Ø.53 ∇ 1.0 IS Ø.53 ∇ 1.13. CH'D SLOT WIDTHS WAS .650 IS .640. REMOVED ∇ 1.06 FROM THREAD CALLOUT.	11/26/2013	CFS	GE






SECTION D-D

(-6)
ADJUSTING SCREW

RED BARN MACHINE	
TITLE PULLER - BEARING, TURBINE	
DWG NO. RB6889889-6	REV 4
MAT'L 41L40 OR 4140	DRAWN BY: COLE
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT TREAT RC 32-36
.XX ± .01	FINISH BLACK OXIDE
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	R.R. ALLISON 250
SCALE 1:1	DATE 3/24/2003
SHEET 7 OF 11	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
4	-7 CH'D KNURL WAS HEAVY IS MEDIUM.	11/26/2013	CFS	GE





(-7)
ADJUSTING NUT

RED BARN MACHINE	
TITLE PULLER - BEARING, TURBINE	
DWG NO. RB6889889-7	REV 4
MAT'L BRASS	DRAWN BY: COLE
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT TREAT
.XX ± .01	FINISH
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	R.R. ALLISON 250
SCALE 1:1	DATE 3/24/2003
SHEET 8 OF 11	


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL







(-8)

TEE HANDLE WELDMENT -8



 RED BARN MACHINE	
TITLE PULLER - BEARING, TURBINE	
DWG NO. RB6889889-8	REV 4
MAT'L UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	DRAWN BY: COLE APPROVED <i>D Weil</i> HEAT TREAT FINISH BLACK OXIDE SPEC 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING USED ON MODEL R.R. ALLISON 250
SCALE 1:2	DATE 3/24/2003 SHEET 9 OF 11

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
4	-8A ADDED DRILL POINTS TO 2X \varnothing .375 ∇ .30 HOLES. ADDED 3X .32 DIM. ADDED TOLERANCE WAS \varnothing .187 IS \varnothing .187- \varnothing .192.	11/26/2013	CFS	GE






(-8A)
HUB


 RED BARN MACHINE	
TITLE PULLER - BEARING, TURBINE	
DWG NO. RB6889889-8A	REV 4
MAT'L 1018	DRAWN BY: COLE
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX \pm .005 .XX \pm .01 .X \pm .1 FRACTIONS \pm 1/32 ANGLES \pm 5°	APPROVED  HEAT TREAT SEE WELDMENT -8 SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL R.R. ALLISON 250
SCALE 1:1	DATE 3/24/2003
SHEET 10 OF 11	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
4	- 8B CH'D Ø.375 TO (Ø.375)	11/26/2013	CFS	GE



(-8B)
HANDLE

 RED BARN MACHINE	
TITLE PULLER - BEARING, TURBINE	
DWG NO. RB6889889-8B	REV 4
MAT'L 1018	DRAWN BY: COLE
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 .XX ± .01 .X ± .1	APPROVED <i>D Weil</i> HEAT TREAT FINISH SEE WELDMENT -8 SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL R.R. ALLISON 250
SCALE 1:1	DATE 3/24/2014
SHEET 11 OF 11	